













ThermoPro TP63C

Indoor Hygrometer Cold Resistant Outdoor Temperature Humidity Sensor (-35°C ~ 70°C)

SKU: THEPROTP63CWH Manufacture Warranty period: 12 months Country of Origin: China

Introduction

Equipped with professional-grade rechargeable sensors, ThermoPro TP63C inside-outside thermometer wireless provides accurate indoor outdoor temperature and humidity readings every 50 seconds up to 200ft/60m away, allowing you to be aware if adjustments are necessary for your household! No matter the situation, the wireless thermometer hygrometer with a backlight and touchable screen tells you what you need to know, and glance, all in an attractive, compact digital display.



Features

- LCD screen with large digits displays the current indoor-outdoor temperature and humidity percentages.
- Wireless indoor outdoor thermometer hygrometer transmits readings up to 200ft/60m using a 433MHz strong signal.
- Rechargeable lithium battery technology resists cold weather as low as -31°F (-35°C), assuring transmission in any harsh environment.
- Completely sealed outdoor sensor for reliable use in rain or snow.
- Sync up to 3 outdoor remote sensors to monitor different locations (additional 2 sensors sold separately).
- Indoor Temperature Range: -4~158°F (-20~70°C); Outdoor Temperature Range: -31~158°F (-35~70°C).
- Temperature Tolerance: ±2.0°F (±1.1°C).
- Humidity Range: 10~99%.
- Humidity Tolerance: ±2% from 30% to 80%; ±3% below 30% and above 80%.

Wirelessly Track Multiple Locations

Temperature and humidity gauge displays readings from up to 3 outdoor remote sensors that can be as far as 200ft/60m away from the base station. With the long-range, feel free to position your sensors anywhere that best suits your needs. (Additional sensors are available for purchase)

Updated: 10 Jul 2023



Specifications

868 MHz transmission frequency	
Transmission Range:	Up to 60m / 200ft. (range may be shorter based on interference present)
Indoor temperature range:	-20°C~70°C (-4°F ~ 158°F)
Outdoor temperature range:	-35°C ~ 70°C (-31°F ~ 158 °F)
Humidity range:	10%~99%RH
Resolution	
Temperature:	0.1 °C (0.1° F)
Humidity:	1%RH
Accuracy	
Temperature:	± 1.1°C (2.0°F)
Humidity:	±2% from 30%RH to 80%RH; ±3% below 30%RH and above 80%RH
Refresh rate	10 seconds
Operation temperature	+10~60°C
Base station (Receiver)	
Dimension	84 x 71 x 26mm
Weight	approx. 112g (included batteries)
Power supply	1.5V (AAA size) X 2
Remote sensor (TX-4C Transmitter)	
Dimension	63 x 74 x 26mm
Weight	84g (includes batteries)
Rechargeable lithium battery technology resists cold weather as low as -35°C (-31°F), assuring transmission in any harsh environment.	
Storage condition	-20°C~60°C, 20~80%RH

Package includes

1 x base station unit (Receiver)	
1 x remote sensor (TX-4C Transmitter)	
1 x Charging Cable	
2 x AAA battery	
1 x User Manual	

Quick Response and Accuracy Measurements

Monitor the current indoor humidity & temperature with accuracy to within ±1.1°C and ±2~3%RH combined with a lightning-quick response time, which takes measurements every 30 seconds to provide you with the most up-to-date and accurate readings available.

Multiple Placement Options

The indoor hygrometer features a built-in tabletop stand, wall-mount, and magnetic back design, to allow you to place your indoor thermometer wherever is most convenient for you and your home.







Updated: 10 Jul 2023



MAX 200FT / 60M Wireless Remote Sensor



Product contains only 1 sensor, more sensors can be ordered separately.





Updated: 10 Jul 2023

